UNIVERSITY OF JAMMU ORDER

Based on the recommendations made by the Central Purchase Committee at its meeting held on 08-11-2017 vide Resolution No. 5, the Vice-Chancellor is pleased to approve the lowest rates of Vertical Blinds offered by the firm (as detailed in the Annexure to this order which is available in the Jammu University website www.jammuuniversity.in, for the financial year 2017-18, alongwith following terms and conditions:

1. The supplier/s should be bound to make the supply within the stipulated time period as given in the supply order on the basis of the rates approved by the University failing which the firm/s be debarred for the next three years to enter in the University business alongiwth 10% amount of the CDR submitted by the firm/dealer/s be deducted as a part of penalty".

No:-Fin./2017-18/ 6967-79

Dated: -04/11/2017

Copy to:-

1. Spl. Secy. to the Vice-Chancellor.

2. P.S to Dean Academic Affairs.

3. Sr. P.A. to Registrar.

4. Sr. P.A. to Controller of Examinations / Director, Colleges Dev. Council.

5. Sr. P.A. to Joint Registrar (Finance).

6. Prof. R.K. Ganjoo, Convener, Website Monitoring Committee.

Content Manager, University Website alongwith Annexure of 1 page for uploading the same in the University Website under the link 'Finance Wing' for the information of all Heads of the Departments, Directors, Rectors, Co-ordinators etc.

8. Assistant Registrar (Services).

9. G. file.



UNIVERSITY OF JAMMU FORMS AND STATIONERY / SERVICES

Annexure of Vertical Blind for the financial year 2017-18

5. No.	M/S Aakarshan Engineers, 70 A/P 2 nd , Ext. Gandhi Nagar, Jammu.
	Ph. 9796480151
1	Vertical Blinds with imported
1	Fabric
	@ Rs.424/- per sq.m.
Terms and Conditions	CDR No. 248151 dt. 19-05-2017 Rs. 5000/- of Central Bank of India.
	Installation charges free.
	Tax Extra
	The introduction of GST. The tax converted into 14% to 28% as per undertaking.
	Minimum chargeable area @ 1 sq. m.
	Warranty 1 year against any manufacturing defect.

His Registin (1808)
20/11/17
20/11/17
20/11/17